



Loader#: 8
 Truck count: 42
 Loading time: 49%
 Total tons: 1,570

Loader#: 3
 Truck count: 21
 Loading time: 63%
 Total tons: 785

Improve loadout through automated connectivity



LOADRITE LR360 Connected Loader Scales for Quarry Loadout

More Visibility for Loadout



PERFORMANCE METRICS

Trimble® LOADRITE 360 (LR360) performance reports track loader metrics including tonnes per hour (TPH) across multiple or individual loaders, actual time spent on truck loading activities and loader operator efficiency to highlight staff training needs.

INSIGHTHQ

With the InsightHQ cloud reporting option managers can monitor site production and performance anywhere at any time. When LOADRITE hardware is used in the pit, processing and loadout zones InsightHQ provides visibility across the operation.

POS SYSTEM AND IN-CAB AUTOMATED CONNECTION

Two-way automated communication shows jobs requested at the scale house as a job list inside the cab, and

completed loadout data is fed directly into the scale house POS. This reduces double entry work and data entry errors for both the operator and scale house attendant. Accurate on-screen job data reduces error-prone verbal comms chatter, and allows more time for loading.

REAL-TIME JOB LIST

The LR360 in-cab indicator clearly presents a list of loadout jobs in order of priority and the truck ID. By providing simple, relevant and organised job data to the operator they are empowered to deliver faster with a sense of urgency and priority across the site. The list also provides richer loadout job queue data, reduces verbal communication, and errors, which reduces truck waiting time and happier customers.



LR360 real time job lists displayed in the cab.

LOADRITE 360 is a connected quarry solution that can holistically improve loadout operation through performance accurate onboard weighing, metric tracking, job data automation, and real-time 360° job visibility. LR360 connects the loader and scale house to provide data sharing of loadout jobs which result in greater efficiency, improved visibility and higher product sales.

TRUE TARE TRUCKING LOADING

The truck and payload is measured three times for each loadout: upon arrival at the truck scale (weigh bridge), at loadout on the loader scale and true payload is verified on departure. True truck payload measurement maximizes tonnage and optimizes truck utilization for the customer and maximizes product sales at the scale house.




Truck	Target	Actual	% OFF
HQ34	20.000	19.900	-0.5
BA29	20.000	19.900	-0.5
LOS8	15.000	14.980	-0.2
AD41	8.000	7.960	-0.4
QT11	15.000	14.710	-1.9
ZV59	14.000	13.970	-0.2
Average	15.340	15.240	-0.6

Connected Quarry

LR360 decreases rework and miscommunication by wirelessly synchronizing data between the loader and the scales house. As the empty truck arrives its weight is recorded and material request data entered into the POS. The job details are wirelessly transmitted to the loader and displayed in the cab in a prioritised list. When the job reaches the top of the list, the loader operator can go to the material, identify the truck from the ID and load precisely to the target weight. At the completion of the job, the data is returned to the scale house and billing is automatically adjusted before the truck arrives to tare out. The quarry manager is able to see loadout operations in real-time with a clear view of workload, productivity and performance.





Trimble: Transforming the Way the World Works

Trimble provides the tools and support for the extraction, processing, loadout, distribution phases of quarry production information for more efficient operations and higher profits. Contact your local dealer today to learn how easy it is to utilize technology that makes significant improvements to the aggregates workflow, optimize production, improve efficiency and lower your operating costs.



YOUR TRIMBLE LOADRITE PROVIDER



<https://knrgroup.com/>



K&R Weigh Systems

Covering FL, GA, SC and NC

Since 1993

(800) 910-2885

info@knrgroup.com

Trimble Loadrite Auckland Ltd.

45 Patiki Road, Avondale, Auckland 1026

PO Box 19623, Avondale, Auckland 1746

New Zealand

Tel: +64 9 820 7720

Fax: +64 9 820 7721

info@loadritescales.com

www.loadritescales.com

